

T. 16

INDEX MAPS.
T.16 N. R. 13 E. 2nd Mer.

433 - 435	433 - 435	433 - 435	433 - 434	434	434
437 6 459	5 453	4 449	3 445	2 441	1 432
458	458	453	449	445	441
437 7 458	8 452	9 449	10 444	11 441	12 432
457	457	452	448	444	440
436 18 457	17 452	16 448	15 444	14 440	13 431
456	456	451	447	443	440
436 19 456	20 451	21 447	22 443	23 439	24 431
455	455	451	447	443	439
436 30 455	29 450	28 446	27 442	26 438	25 431
454	454	450	446	442	438
435 31 454	32 450	33 446	34 442	35 438	36 430
428 - 430	428 - 430	428 - 430	428 - 429	428 - 429	429

T.13 N. R. 14 E. 2nd Mer.

462					
462 6	5	4	3	2	1
464					
462 7	8	9	10	11	12
464					
463 18	17	16	15	14	13
464					
463 19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

Township N. 16 North. Range N. 13 E. 2nd Mer. Ind.

Ch. M. Township Lines.

South Boundary.

East On S. Side of Sec. 31. Random Line.

40.00 Set tempy. gr. sec. post.

80.00 Set post (tempy.) Cor. to Sec. 31 & 32.

Land, rich and level Sugar Ash, Walnut
and Elm.

East On S. Side of Sec. 32.

40.00 Set tempy. gr. sec. post.

75.00 a Creek 10 lbs. wide Course S.W.

80.00 Set tempy. — sec. post, Cor. to Sec. 32 & 33.

Level, Rich Beech land.

East On S. Side of Sec. 33.

40.00 Set tempy. gr. sec. post.

68.50 a Brook 3 lbs. wide Course S.

80.00 Set tempy. — sec. post Cor. to Sec. 33 & 34.

Land and Timber, as above.

East On S. Side of Sec. 34.

15.00 a Brook 3 lbs. wide Course S.

38.00 a Do. 4 " " " S.

40.00 Set tempy. gr. sec. post.

62.00 a Brook 4 lbs. wide Course S.E.

76.50 a Do. 3 " " " S.

80.00 Set post Cor. to Sec. 34 & 35. (tempy.)

Land, hilly. Timber Oak Beech Gum
Ash &c.

East On S. Side of Sec. 35.

15.00 a Brook 3 lbs. wide Course S.

40.00 Set tempy. gr. sec. post.

53.50 a Brook 4 lbs. wide Course S.

65.00 a Creek 40 lbs. wide Course S.

80.00 Set tempy. post Cor. to Sec. 35 & 36.

429

T. 16 N. R. 13 E. 2nd Mer. Indiana.

Ch. 40

Land, Rich Bottom Sugar Ash, Walnut
and Buckeye &c.

East On E. Side of Sec. 36.

10.00 a Brook 6th wide Course N.

40.00 Set temporary. gr. sec. post.

41.00 a Brook 6th wide Course N.W.
Land & Timber as before.

82.00 Intersect Range line 200th S. of
Town Corner.

Good Beech land.

West On W. Side of Sec. 36. Corrected Line.

40.00 Set gr. sec. post. from which
a Beech 5 in. dia. bears S 84 W. 11th dist. and
a Beech 8 " " " N 79 E. 40 " "

80.00 Set post Cor. to Sec. 35 & 36, from which
a Buckeye 10 in. dia. bears S 78 E. 21th dist. &
an Elm 7 in. dia. bears S 83 W. 25 " "

West On E. Side of Sec. 35.

40.00 Set gr. sec. post. from which
a Hickory 12 in. dia. bears N 26 E. 3th dist. &
a Beech 6 " " " S 65 W. 12 " "

80.00 Set post Cor. to Sec. 34 & 35, from which
a Sugar 18 in. dia. bears S 25 W. 15th dist. &
a Gum 14 " " " N 56 E. 37 " "

West On W. Side of Sec. 34.

40.00 Set gr. sec. post. from which
a Beech 8 in. dia. bears N 56 E. 15th dist. &
a Beech 16 " " " S 39 W. 32 " "

80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 30 in. dia. bears S 59 E. 20th dist. &
a Dr. 16 " " " N 32 W. 23 " "

T. 16 N. R. 13 E. 2nd Mer. Indiana.

West On S. side of sec. 33.

40.00 Set q. sec. post, from which
 a Poplar 60 in. dia. bears N 75 W. 6 lb. dist.
 a Beech 12 " " " N 35 E. 7 " "

80.00 Set post Cor. to Sec. 32 & 33. from which
 a Sugar 16 in. dia. bears N 78 E. 24 lb. dist. &
 a Hackberry 18 in. dia. bs. S 79 W 40 lb. dist.

West On N. side of sec. 32.

Nov. 22nd 1810.

40.00 Set q. sec. post, from which
 a Sugar 7 in. dia. bears N 40 W. 21 lb. dist. &
 a Hackberry 6 in. dia. " N 80 E. 38 " "

80.00 Set post Cor. to Sec. 31 & 32. from wh.
 a Sugar 10 in. dia. bears N 15 E. 26 lb. dist. &
 a Beech 30 " " " S 17 W. 32 " "

West On S. side of sec. 31.

40.00 Set q. sec. post, from which
 a Sugar 12 in. dia. bears S 2 W. 6 lb. dist. &
 a Hickory 12 " " " N 32 W. 16 " "

82.00 To Town. Corner.

Surveyed in 1810.

By Alexander Holmes
 Deputy Surveyor.

East Boundary.

North On E. side of sec. 36.

5.00 a Brook 4 lb. wide Course W.

25.00 a Beech 18 in. diam.

38.00 a Brook 3 lb. wide Course W.
 Good land. Timber Beech & Sugar.

40.00 Set q. sec. post from which
 a Beech 12 in. dia. bears N 29 W. 5 lb. dist. &
 a Do. 14 " " " S 55 E. 12 " "

40.50 a Brook 5 lb. wide Course W.

T. 16 N. R. 13 E. Qnd Mer. Indiana.Ch^{rs} M^{rs}

- 66.00 a Brook 10 lbs. wide Course W.
 80.00 Set post Cor. to Sect. 25 & 26, from which
 a Sugar Elm. diam. bears S 10 E. 30 lbs. dist. and
 an Ironwood diam. " N 2 E. 17 " "
 Land, Rich level. Timber Sugar Elm.
 Beech &c.

North On E. side of sec. 25.

- 20.00 a Brook 10 lbs. wide Course S. W.
 40.00 Set gr. sec. post, from which
 a Beech 16 in. dia. bears S 22 E. 20 lbs. dist. and
 a Do. 14 " " " N 12 E. 19 " "
 55.25 an Ash 18 in. diam.
 80.00 Set post Cor. to Sect. 24 & 25, from which
 a Sugar Elm. diam. bears S 81 W. 37 lbs. dist.
 a Sugar " " " N 72 E. 71 " "
 Land, Rich level. Timber, Sugar
 Ash, Beech &c.

North On E. side of sec. 24.

- 10.00 a Brook 10 lbs. wide Course W.
 30.00 a Brook 10 " " " S. W.
 Rich Bottom land. Timbered
 with Ash Sugar Buckeye.
 40.00 Set gr. sec. post, from which
 a Buckeye 16 in. diam. bears N 1 E. 16 lbs. dist.
 a Buckeye 16 " " " N 50 W. 20 " "
 Oct. 26th 1810. over very rich bottom
 Sugar Buckeye Walnut Ash &c.
 80.00 Set post Cor. to Sect. 13 & 24, from which
 a Buckeye 10 in. dia. bears N 54 E. 14 lbs. dist.
 a Sugar 12 " " " S 60 W. 25 " "

North On E. side of sec. 13.

- 17.50 an Ash 36 in. dia.
 40.00 Set gr. sec. post, from which

T. 16 N. R. 13 E. 2nd Mer. Indiana.

432

Ch² 1st a Beech 30 in. diam. bears S 33 E. 3 1/2 lb. dist. and
a Beech 24 " " " N 18 E. 26 " "
56.00 a Brook 3 lb. wide Course E.
67.00 a Do. 6 " " " S. E.
80.00 Set post Cor. to Sec 12 x 13, from which
a Sugar 18 in. dia. bears N 66 W. 18 lb. dist. and
a Beech 10 " " " N 40 E. 17 " "
Land first gate Bottom land. Simb.
Sugar, Ash, Walnut, Beech Elm.

North On E. Side of Sec. 12.

14.00 a Brook 3 lb. wide Course E.
22.50 a Do. 4 " " " E.
38.00 a Do. 4 " " " E.
40.00 Set q. sec. post. from which
a Hickory 6 in. dia. bears S 82 E. 12 lb. dist. and
a Beech 24 " " " S 87 W. 29 " "
63.70 an Ash 30 in. diam.
66.50 a Brook 3 lb. wide Course E.
80.00 Set post Cor. to Sec. 1 x 12, from which
a Beech 30 in. diam. bears N 32 E. 10 lb. dist.
a Blue Ash 20 in. diam. " S 21 W. 48 " "
Land, Rich level. Simb. Sugar
Sugar Ash, Elm.

North On E. Side of Sec. 1.

10.00 a Brook 3 lb. wide Course E.
26.62 an Ash 18 in. diam.
34.00 a Brook 3 lb. wide Course E.
40.00 Set q. sec. post. from which
a Wh. Oak 18 in. dia. bears N 11 W. 6 lb. dist. &
a Poplar 30 " " " S 34 E. 43 " "
41.00 a Brook 3 lb. wide Course E.
61.00 a Do. 3 " " " E.
72.00 a Do. 3 " " " E.
80.00 Set post Cor. of Town N 6 x 17 Ranges 13 x 4

T. 16 N. R. 13 E. 2nd Mer. Indiana:
Ch. 1st 1st

East, from which
a log 30 in. dia. bears S 75 W. 22 lb. dist.
& an Ash " " " N 80 E. 17 " "
Land, rich level Timb. Sugar,
Ash Beech & Poplar.
Surveyed in 1810.

By Alexander Holmes
Deputy Surveyor.

North Boundary.

East On S. side of sec. 31. T. 17 N. R. 13 E.

Nov. 23rd 1810. On Random Line.

15.00 a brook 50 lbs. wide course S. W.

Rich Bottom, Timber, Sugar, Ash, Elm.

40.00 Set temp. q. sec. post.

80.00 Set temp. post cor. to sec. 31 & 32.

Level rich land. Timb. Sugar
Ash Elm.

East On S. side of sec. 32. T. 17 N. R. 13 E.

40.00 Set temp. q. sec. post.

61.00 a brook 4 lbs. wide course S. W.

80.00 Set temp. post cor. to sec. 32 & 33.

East On S. side of sec. 33. T. 17 N. R. 13 E.

40.00 Set temp. q. sec. post.

78.00 a brook 3 lbs. wide course E.

80.00 Set temp. post cor. to sec. 33 & 34.

Land, level, Oak Beech & Ash

West On S. side of sec. 34. T. 17 N. R. 13 E.

16.50 a brook 25 lbs. wide course S.

32.00 a do. 25 " " " S.

36.00 a do. 25 " " " S.

40.00 Set temp. q. sec. post.

42.00 a brook 25 lbs. wide course S.

434

T. 16. N. R. 13 E. 2nd Mer. Indiana.

80.00 Set post cor. to Sec. 34 & 35. (temp.)
Bottom land, Timber Sugar Elm,
ash &c.

East on S. side of Sec. 35. T. 17 N. R. 13 E.

40.00 set temp. q. Sec. post.

80.00 Set temp. post cor. to Sec. 35 & 36.
Good Beech land.

East on S. side of Sec. 36. T. 17 N. R. 13 E.

40.00 set temp. q. Sec. post.

74.00 Intersect Range line 250 S. of corner.
Good Beech Land.

West Corner line S. side Sec. 36. T. 17 N. R. 13 E.

40.00 set q. Sec. post. from which

a B. Oak 8 in. dia. bears S 70° E. 10.00 dist. and

a B. Do 6 " " " N 66° W. 8 " "

80.00 Set post cor. to Sec. 35 & 36, from which

a B. Oak 30 in. dia. bears N 72° E. 24.00 dist. &

a Poplar 20 in. " " S 84° W. 17 " "

West on S. side of Sec. 35. T. 17 N. R. 13 E.

40.00 Set q. Sec. post. from which

a Sugar 8 in. dia. bears N 23° W. 16.00 dist. &

a Beech 15 " " " N 87° E. 31 " "

80.00 set post cor. to Sec. 34 & 35, from which

a Buckeye 10 in. dia. bears S 84° W. 21.00 dist. &

a Walnut 60 " " " N 48° E. 18 " "

West on S. side of Sec. 34. T. 17 N. R. 13 E.

40.00 set q. Sec. post. from which

a Sycamore 30 in. dia. bears N 77° W. 33.00 dist. &

no other trees given.

80.00 Set post cor. to Sec. 33 & 34, from which

a Sugar 7 in. dia. bears N 75° E. 6.00 dist. &

T. 16. N. R. 13 E. 2nd Mer. Indiana.

Ch. 2 Sugar 8 in. diam. bears N 85 W 15 lb. dist.

West On S. Side of Sec. 33. T. 17 N. R. 13 E.

40.00 Set gr. Sec. post, from which
a Sugar 30 in. dia. bears S 44 E. 16 lb. dist.
a Hickory 12 " " " N 57 W. 26 " "

80.00 Set post Cor. to Sec. 32 & 33, from which,
a Sugar 8 in. diam. bears N 12 E. 44 lb. dist.
a Sugar 6 " " " N 83 W. 32 " "

West On S. Side of Sec. 32. T. 17 N. R. 13 E.

40.00 Set gr. Sec. post, from which
an Elm 12 in. dia. bears N 6 E. 14 lb. dist.
& an Elm 20 " " " N 11 W. 38 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
a Sugar 20 in. dia. bears N 76 E. 42 lb. dist. &
a Sugar 6 " " " N 50 W. 15 " "

West On S. Side of Sec. 31. T. 17 N. R. 13 E.

40.00 Set gr. Sec. post, from which
a Buckeye 18 in. dia. bears N 8 E. 19 lb. dist.
a Buckeye 12 " " " S 37 W. 32 " "

To Town. Cor.

Surveyed in 1880.

By A. Holmes.

Deputy Surveyor.

West Boundary.

North On E. Side of Sec. 36. T. 16 N. R. 12 E.

37.00 a Buckeye 10 in. diam.

40.00 Set gr. Sec. post, from which
a Buckeye 14 in. dia. bears S 45 W. 21 lb. &
a Blue Ash 15 " " " N 21 E. 31 " dist.

Rich level land. Timber: Sugar Elm

Ash Hickory Walnut Buckeye &c.

67.00 a Sugar 30 in. dia.

T. 16 N. R. 13 E. 2nd Mer. Indiana.

80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 30 in. dia. bears N 44 W. 9 lb. dist. &
a Do. 24 " " " S 20 E. 50 " "

North on E. Side of Sec. 25. T. 16 N. R. 13 E.

29.50 a Walnut 20 in. diam.

40.00 Set gr. Sec. post, from which
a Walnut 20 in. dia. bears S 29 W. 6 lb. dist. &
a Buckeye 16 " " " N 37 E. 23 " "

72.00 an Elm 18 " "

80.00 Set post Cor. to Sec. 24 & 25, from wh.
a Sugar 30 in. dia. bears N 24 E. 9 lb. dist. &
an Elm 30 " " " S 84 W. 22 " "
First rate land. Walnut, Sugar Ash
and Buckeye &c.

North on E. Side of Sec. 24. T. 16 N. R. 12 E.

34.50 a Walnut 30 in. diam.

40.00 Set gr. Sec. post, from which
a Wh. Oak 30 in. dia. bears N 77 E. 14 lb. dist. &
an Elm 10 " " " S 84 W. 23 " "

59.00 a Beech 20 in. diam.

80.00 Set post Cor. to Sec. 13 & 24, from which
a Wh. Oak 30 in. dia. bears N 60 E. 22 lb. dist. &
an Ash 7 in. dia. bears S 19 W. 27 " "
Land and Timber as above.
Good Beech Land.

North on E. Side of Sec. 13. T. 16 N. R. 12 E.

10.00 Entered Swamp.

17.00 a Brook 10 lb. wide Course S. W.
Leave the Swamp.

23.60 a Beech 18 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 10 in. dia. bears N 46 E. 21 lb. dist. &
an Ash 14 " " " N 46 W. 21 " "

63.00 Enter small swamp.

T. 16 N. R. 13 E. 2nd Mer. Indiana.

Ch. Sk.

66.30 a Wh. Oak 58 in. diam.

80.00 Set post cor. to Sec. 12 & 13, from which
 a Sugar 14 in. dia. bears S 1/4 E. 15 ch. dist. &
 a Sugar 12 " " " N 1/4 E. 8 " "
 On 1/4 part land level & part wet. Timb.
 Beech, Ash, Elm &c. Last part good
 Beech land.

North On E. side of sec 12. T. 16 N. R. 12 E.

30.50 a Sugar 10 in. diam.

Rich land & level. Timb. Sugar,
 Ash, Elm Beech &c.

40.00 Set q. sec. post. from which
 a Buckeye 5 in. dia. bears for post. from wh.
 a wh Oak 24 in. dia. bears S 1/4 E. 15 ch. dist. &
 an Elm 18 " " " N 7/8 W. 37 " "

70.30 a Sugar 15 in. diam.

80.00 Set post cor. to Sec. 14 & 12, fr. wh.
 a Sugar 9 in. diam. bears S 3/4 E. 13 ch.
 an Elm 12 " " " N 3/4 W. = "
 Land &c. as above.

North On E. side of sec. 1. T. 16 N. R. 12 E.

20.00 an Elm 18 in. diam.

40.00 Set q. sec. post. from which
 an Elm 1 in. dia. bears N 22 W. 4 ch. dist. &
 a Beech 36 " " " S 1/2 E. 22 " "

44.00 a creek 50 ch. wide course S. W.

49.00 a do. 50 " " " S. E.

75.00 a do. course S. W.

80.00 Set post cor. to Towns 16 & 17 North.
 Ranges 12 & 13 E. from which
 a Sugar 30 in. dia. bears N 33 W. 6 ch. dist.
 a Beech 8 " " " S 24 W. 8 " "
 Land &c. same. Surveyed in 1870.

By A. Holmes Dep. Sur.

T. 16 N. R. 13 E. 2nd Mer. Indiana.

Ch² R² Subdivision.

Beginning at the S. E. Corner of Town
 16 North. R. 13 E. Thence
 West on the Town line
 40.00 To gr. sec. post.
 80.00 Section Post.

North Between Secs 35 & 36.

22.25 a stream 100 ft. wide Cr. S. W.
 28.25 Up & across the stream (Rapid)
 40.00 Set gr. sec. post. from which
 an Elm 6 in. dia. bears S 62 W. 11 lb. dist. &
 an Ash 6 " " " N 49 E. 20 " "
 54.17 a Sugar 11 in. diam.
 80.00 set post Cor. to Secs 25, 26, 35 & 36. f. wh.
 a Beech 30 in. dia. bears S 9 W. 24 lb. dist.
 & a Sugar 10 " " " N 47 E. 17 " "
 Timber: Beech Ash Sugar &c.
 Level good farming land.

East On R. and 1st betwⁿ Secs 25 & 36.

32.75 a stream 60 ft. wide c. s.
 40.00 Set temp^y gr. sec. post.
 79.74 Intersect N & S line 40 lb. f. off post
 Timber: Beech, Sugar Ash &c.
 level good farming land.

West Corner line between Secs 25 & 36.

39.88 Set gr. sec. post. from which
 an Ironwood 4 in. dia. bears N 64 E. 9
 a Buckeye 10 in. dia. bears N 4 W. 25 lb. dist.
 79.76 Section Corner.

North Between Secs. 25 & 26.

16.00 a Sugar 16 in. diam.
 40.00 Set gr. sec. post. from which

T. 16 N. R. 13 E. 2nd Mer. Indiana.

Chs. 4k. a Beech 24 in. diam. bears N 2 E. 12 1/2 lbs. dist.
 a Sugar 12 " " " S 39 W. 32 " "
 63.10 a Spring Branch corner S. E.
 67.00 a Beech 10 in. diam.
 80.00 set post cor. to Secs. 23, 24, 25 & 26.
 a Beech 7 in. dia. bears S 83 E. 25 1/2 lbs. dist. &
 a Do. 6 " " " S 85 W. 11 " "
 Timber: Beech Ash Elm & Spice.
 Level good farming land.

East On Random between Secs. 24 & 25.
 40.00 set temp. q. sec. post.
 71.75 a stream 75 lbs. wide S. 50 W.
 80.00 Intersect Range line 45 lbs. S. of
 Post. Beech Ash Elm & Sugar.
 Level land, soil rich.

West Correct line between Secs. 24 & 25.
 40.00 set q. sec. post. from which
 an Iron rod 5 in. dia. bears S 58 W. 25 lbs.
 a Hackberry 12 " " " S 87 E. 12 1/2 lbs.
 80.00 Section corner.
 Feby. 1st 1874.

North Between Sections 23 & 24.
 15.00 a Beech 20 in. diam.
 40.00 set q. sec. post. from which
 a Water Beech 6 in. dia. bears N 51 E. 6 1/2 lbs. dist.
 a Beech 9 in. diam. bears S 48 W. 25 " "
 54.00 a Sugar 11 " " "
 80.00 set post cor. to Secs. 13, 14, 23 & 24, fr. wh.
 a Beech 11 in. dia. bears N 12 W. 13 lbs. dist.
 & a Do. 9 " " " N 89 W. 21 " "
 Timber: Beech, Ash, Oak, Sugar &c
 Level good farming land.

440

T. 16 N. R. 13 E. 2nd Mer. Indiana.

East On Random between Sec. 13 & 14.

40.00 Set temp. g. p. sec. post.

50.00 a stream 6 lbs. wide course S. E.

80.00 Intersect N & S. line 20 lbs. S. of post.

Timb. Beech, Ash, Elm, Hickory &c.
Level good farming land.

West On Correct line betwⁿ Sec. 13 & 14.

40.00 Set g. p. sec. post. from which

a Beech 12 in. diam. bears N 49 W. 20 lbs. dist.

a Do. 12 " " " N 49 E. 3 lbs. dist.

80.00 Section corner.

North Between Sections 13 & 14.

12.00 a Sugar 12 in. diam.

40.00 Set g. p. sec. post. from which

a Hickory 20 in. diam. bears S 52 W. 10 lbs. dist.

a Hickory 10 " " " N 52 E. 19 " "

62.25 a Sugar 14 " "

80.00 Set post cor. of Sec. 11, 12, 13 & 14, fr. wh.

a Wh. Ash 20 in. dia. bears N 4 E. 15 lbs. dist.

a Wh. Ash 24 " " " N 4 E. 18 " "

Timb. Beech, Ash, Elm, Hickory &c.
Some uneven good farming land.

East On Random betwⁿ Sec. 12 & 13.

40.00 Set temp. g. p. sec. post.

80.20 Intersect N & S. line 12 lbs. N. of post.

Timb. Beech, Ash, Poplar Sugar &c.
Some uneven good farming land.

West Correct line between Sec. 12 & 13.

40.10 Set g. p. sec. post. from which

a Sugar 16 in. dia. bears N 50 E. 2 lbs. dist.

a W. Beech 5 in. " " S 50 W. 15 " "

80.20 Section corner.

T. 14 N. R. 13 E. 2nd Mer. Indiana.

North Between Sections 11 & 12.

44.75 a Sugar 13 in. dia.

40.00 Set gr. sec. post, from which
a Beech 9 in. dia. bears S 72 E, 10 lb. dist. X
a Elm 24 in. dia. bears N 18 E, 10 lb. dist.

57.20 a Beech 10 " " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, fr. wh.
a Beech 4 in. dia. bears N 72 W, 3 lb. dist. X
an Ironwood 6 in. dia. bears S 88 E, 24 lb.
Limbs: Beech, Poplar, Ash, Oak and
Sugar &c. &c.

Level good farming land.

East On Random between Sec. 1 & 12.

40.00 set temp. gr. sec. post.

80.50 Intersect N. & E. line 40 lb. N. of post.
Set post Cor. to Sec. 1 & 12.Limbs: Beech, Ash, Poplar &c. level
good farming land.

West Correct line between Sec. 1 & 12.

40.25 Set gr. sec. post, from which

a Poplar 3 1/2 in. dia. bears N 59 E, 14 lb. dist.
a Beech 7 " " " S 4 E, 24 " "

80.50 Sec. cor.

North Between Sec. 1 & 2. Random.

40.00 set temp. gr. sec. post.

78.85 Intersect E. & W. line 40 lb. W. of post.
Limbs: Beech Ash Oak Sugar &c.
level good farming land.

South Between Sec. 1 & 2. correct.

38.85 Set gr. sec. post, from which

a Sugar 10 in. dia. bears N 29 E, 13 lb. dist. X
a Do. 11 " " " S 29 W, 3 " "

442

T. 16 N. R. 13 E. 2nd Mer. Indiana.

78.85 Sec. Corner.

North Between sections 34 & 35.

17.35 a Sugar 10 in. diam.

40.00 Set q. sec. post, from which
a th. Ash 24 in. dia. bears S 79 E. 10 lbs. dist.)
a Sugar 11 " " " " N 79 W. 10 " "

67.10 a Beech 17 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, fr. wh.

a Beech 11 in. dia. bears S 40 E. 10 lbs. dist.)
an Ash 4 " " " " S 60 W. 12 " "

Timb. Beech Ash, Oak, Hickory
Sugar &c - some uneven good soil
February 3rd 1871.

East on Randon between sections 26 & 35.

40.00 set temp. q. sec. post.

79.45 Intersect N & E. line C. M. S. of post.
Timb. Beech, Ash, Oak Sugar &c.
some uneven good farming land.

West correct line between Sec. 26 & 35.

39.72 Set q. sec. post, from which
a Sugar 10 in. dia. bears N 33 E. 12 lbs. dist.)
a Beech 15 " " " " S 10 E. 15 " "

79.45 Section Corner.

North Between Sec. 26 & 27.

18.00 a Beech 10 in. diam.

40.00 Set q. sec. post, from which
a Beech 12 in. dia. bears S 24 E. 25 lbs. dist.)
an Elm 8 " " " " S 62 W. 23 " "

54.50 a Sugar 16 " "

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, fr. wh.
a Sugar 4 in. dia. bears N 2 E. 24 lbs. dist.)
a Beech 9 " " " " S 10 W. 37 " "

T. 16 N. R. 13 E. 2nd Mer. Indiana.

Chs. 110. Beech, Ash, Oak, Sugar &c.
Level good farming land.

East On Random between Secs 23 & 26.

40.00 Set tempy. gr. sec. post.

73.50 a Spring Branch S 70 E.

79.80 Intersect N & S. line at post.

Timb. Beech, Ash, Oak, Elm, Hickory
and Sugar &c. Level good land.

West Between Sections 23 & 26. Correct line.

39.90 Set gr. sec. post. from which
a Beech 20 in. dia. bears S 81 E. 27 lks. dist. &
a Do. " " " " N 31 W. 17 " "

79.80 Section Corner.

North Between Secs. 22 & 23.

12.60 a Maple 10 in. diam.

40.00 Set gr. sec. post. from which

a Sugar 11 in. dia. bears N 30 E. 10 lks. dist. &

a Do. 16 " " " " S 80 W. 15 " "

43.40 a Spring Branch course N. W.

54.40 a Do. Do. " W.

72.90 a Do. Do. " W.

80.00 Set post Cor. to Secs. 14, 15, 22, & 23, fr. wh.

a Beech 7 in. dia. bears S 53 W. 14 lks. dist. &

a Do. 13 " " " " S 77 E. 25 " "

Timb. Beech, Ash, Sugar &c.

Level good farming land.

February 4th 1811.

East On Random between Secs. 14 & 23.

13.25 a Spring Branch course S.

40.00 Set tempy. gr. sec. post.

79.31 Intersect N & S. line 11 lks. N. of post.

Timb. Beech, Ash, Sugar &c.

T. 6. N. 13. E. 2nd Mer. Indiana.

Ch. M. Level, soil good.

West Correct line between Sec 14 & 23.

13.25 a spring Branch Creek at

39.65 set gr. sec. post. from which
a Beech 5 in. dia. bears N 67 E. 7 1/2 lb. dist. X

a Do. 12 " " " N 67 W. 3 1/4 " "

79.31 Sec. corner.

North Between Sec. 14 & 15.

17.25 a Sugar 14 in. diam.

40.00 set gr. sec. post. from which
a Beech 18 in. dia. bears N 62 E. 2 1/2 lb. dist. X

a Do. 26 " " " N 34 W. 2 1/2 " "

43.40 a stream 10 lb. wide course S. W.

55.25 a Beech 18 in. diam.

80.00 Set post cor. to Sec. 10, 11, 14 & 15, from wh.

a Sugar 10 in. dia. bears N 41 E. 5 lb. dist. X

an Ironwood 5 in. dia. bears N 34 W. 4 lb.
Timb. Beech, Ash, Oak, Sugar &c.

Some uneven thin soil.

East On Random between Sec. 11 & 14.

21.00 a stream 10 lb. wide course S. 40 W.

40.00 Set tempy. gr. sec. post.

79.92 Intersect N & S line 9 lb. N. of post.

Timber, Beech, Ash, Elm, Spruce &c.
Level wet land.

West Between Sections 11 & 14. correct line

39.96 Set gr. sec. post. from which

a Beech 12 in. dia. bears S 27 E. 6 lb. dist. X

a Beech 20 " " " N 59 W. 24 " "

79.92 Section corner.

North Between Sec. 10 & 11.

T. 16 N. R. 13 E. 2nd W. Indiana.

Ch. Sp.

- 17.40 a Wh. Ash 20 in. diam.
 40.00 Set gr. Sec. post, from which
 an Ironwood 6 in. dia. bears S 35 E. 8 lks. dist.
 & a Beech 7 in. dia. bears N 10 E. 16 lks. dist.
 51.12 a Wh. Oak 20 in. diam.
 78.60 a Spring Branch Course S. W.
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11 from which
 a Beech 9 in. dia. bears S 6 W. 8 lks. dist. &
 a Do. 3 " " " N 7 E. 15 " "
 Timber: Beech, Ash, Elm, Sugar &c.
 Land level soil thin. Feby. 5th

East Hand ^{1st} betwⁿ Sec. 2 & 11.

- .56 a Spring Branch Course S. W.
 40.00 Set tempy. gr. Sec. post.
 79.44 Intersect N & S. line 15 lks. N. of post.
 Timber: Beech, Ash Sugar &c.
 Level wet land.

West Correct line between Sec. 2 & 11.

- 39.72 Set gr. Sec. post, from which
 a Sugar 3 in. dia. bears S 6 E. 1 lks. dist. &
 a Water Beech 4 in. dia. bears S 84 W. 8 lks.
 79.44 Sec. cor.

North In Hand on between Sec. 2 & 3.

- 40.00 Set tempy. gr. Sec. post.
 78.48 Intersect E. & W. line 14 lks. W. of post.
 Timber, Beech Ash, Oak Sugar and
 level good farming land.

South Between Sec. 2 & 3. correct line

- 38.48 Set gr. Sec. post, from which
 a Sugar 3 in. dia. bears N 55 E. 5 lks. dist.
 & a Beech 10 " " " S 38 W. 30 " "
 78.48 Section corner.

446

T. H. N. No. 13 E. 2nd Mer. Indiana.

North Between Sections 33 & 34.

18.40 a Beech 12 in. diam.

40.00 Set gr. Sec. post. from which
a Beech 15 in. dia. bears N 60 E. 11 lb. dist. &
a Beech 5 " " " N 75 W. 17 " "

69.25 a Spring Branch

74.20 a Sugar 10 in. diam.

80.00 Set post Cor. to Secs. 27, 28, 33 & 34, fr. wh.
an Oak 3 1/2 in. dia. bears S 4 E. 11 lb. dist. &
a Beech 15 " " " N 82 W. 13 " "
Timb. Beech, Oak, Sugar, Hickory, &c.
Over uneven land. Soil thin.
February 6th 1844.

East An Random between Secs. 27 & 34.

40.00 Set temporary gr. Sec. post.

79.45 Intersect N & E. line at post.

Timb. Beech, Oak, Hickory, Ash &c.
level good farming land.

West On True line between Secs. 27 & 34.

39.72 set gr. Sec. post. from which

a Beech 9 in. diam. bears S 55 W. 3 lb. dist.
& a Beech 5 " " " N 67 E. 14 " "

79.45 Section corner.

North Between Secs. 27 & 28.

26.40 a Beech 12 in. diam.

40.00 Set gr. Sec. post. from which

a Beech 30 in. dia. bears S 33 W. 9 lb. dist. &
a Sugar 10 " " " N 84 E. 22 " "

69.10 a Wh. Oak 4 8 in. dia.

77.00 a Spring Branch corner W.

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, fr. wh.
a Sugar 11 in. dia. bears N 30 W. 13 lb. dist. &
a Beech 15 " " " S 24 E. 23 " "

2447

T. 16 N. R. 13 E. 2nd Mer. Indiana

Ch. 1st

Timb. Beech, Ash, Oak, Sugar &c.
Some uneven good farming land.

East On Random between Sec. 22 & 27.

24.75 a Spring Branch N 70 W.

40.00 Set temp. q. Sec. post.

65.00 a Spring Branch N 60 W.

79.31 Intersect N & S line 8 lks. S. of post.

Timb. Beech Ash Sugar Oak &c.
Uneven good farming land.

West Between Sec. 22 & 27. Corner line.

39.65 Set q. Sec. post. from which
a Beech 8 in. dia. bears S 45 W. 13 lks. dist. &
a Beech 6 " " " N 53 E. 23 " "

79.31 Section Corner

North Between Sec. 21 & 22.

17.25 a Spring Branch Course W.

24.10 a Sugar 18 in. diam.

40.00 Set q. Sec. post. from which
a Beech 18 in. dia. bears N 66 E. 22 lks. dist.
an Ash 5 " " " S 66 W. 38 " "

61.20 a Beech 11 in. diam.

76.00 a stream 10 lks. wide course S. W.

80.00 Set post Cor. of Sec. 15, 16, 21 & 22, fr. wh.
an Oak 12 in. dia. bears S 55 W. 5 lks. dist. and
a Beech 20 in. dia. " N 71 E. 36 " "

Timb. Beech, Ash Sugar Oak &c.
Land level, Soil rich.

February 7th 1871.

East On Random between Sec. 15 & 22.

1.50 a stream 10 lks. wide course S. W.

40.00 Set q. Sec. post. (temp.)

48.50 a stream 8 lks. wide S 20 W.

T. 16 N. R. 13 E. 2nd Mer. Indiana.

79.15 Intersect N & E line of Sec. N. of post.
Timb: Beech Ash, Oak Sugar &c.
Same uneven good farming land.

West Correct line between Secs 15 & 23.

39.57 Set q. Sec. post. from which
a Sugar 8 in. dia. bears S 26 W. 8 1/2 k. dist. and
a Sugar 20 in. dia. bears N 26 E. 19 " "

79.15 Section Corner.

North Between Secs 15 & 16.

16.40 a Sugar 10 in. diam.

21.15 a stream 8 k. wide course W.

40.00 Set q. Sec. post. from which
a Sugar 18 in. dia. bears S 85 W. 16 k. dist. and
a Beech 5 " " " S 73 E. 25 " "

52.25 a Walnut 6 in. diam.

80.00 a Walnut 8 1/2 in. diam. for post cor. to Secs
9, 10, 15 & 16, from which

a Blue Ash 40 in. dia. bears S 35 E. 50 k. dist. &

a Blue Ash 24 " " " S 80 W. 43 " "

Timb: Ash, Walnut, Elm, Sugar & Buckeye
&c. undergrowth spic., leve soil rich.

East An Meander between Secs 10 & 15.

40.00 Set q. Sec. post. from which (temporary)

42.75 a stream 6 k. wide. S. 40 W.

79.26 Intersect N & S line 15 k. N. of Sec. Cor.
Timb: Beech Ash Sugar. Same uneven
good farming land.

West Correct line between Secs 10 & 15.

39.63 Set q. Sec. post. from which

a Beech 18 in. dia. bears N 30 E. 9 k. dist. &

an Oak 6 " " " South 14 " "

79.26 Section Corner.

249

T. H. N. R. 13 E. 2nd Mer. Indiana.

Ch. P. 9th

North Between Sections 9 & 10.

14.25 An Ash 18 in. diam.

40.00 Set Gr. Sec. post, from which a Hickory 8 in. diam. bears N 80 E. 17 lks. dist. and a Hickory 9 in. dia. bears N 44 W. 16 lks. dist.

71.13 a Sugar 11 " "

80.00 Set post Cor. to Secs. 3, 4, 9 & 10. fr. wh. a Sugar 10 in. dia. bears N 40 E. 11 lks. dist. & an Ash 14 " " " N 81 W. 9 " " Limb. Ash, Walnut, Elm Buckeye &c. Undergrowth, Spice & P. Ash, &c. Level soil Rich.

February 8th 1861.

East Between Secs. 3 & 10. On Random.

40.00 Set temporary Gr. Sec. post.

79.20 Intersect N & E. line 26 lks. N. of post. Limb. Beech, Ash, Elm Hickory &c. uneven good farming land.

West Correct line between Secs. 3 & 10.

39.60 Set Gr. Sec. post, from which a Beech 12 in. dia. bears N 44 W. 26 lks. dist. & a Buckeye 10 " " " N 4 E. 22 " "

79.20 Sec. Cor.

North Between Secs. 3 & 4. On Random line

3.50 a Stream 75 lks. wide C. S. W.

40.00 Set temp. Gr. Sec. post.

78.00 Intersect E. & W. line at post.

Limbs Beech, Ash Elm Sugar &c. some uneven soil good.

South Correct line between Secs. 3 & 4.

38.00 Set Gr. Sec. post, from which a Beech 6 in. dia. bears N 45 E. 19 lks. dist.

T. 16. N. R. 13 E. 2nd Mer. Indiana.

450

Chp. M. a Sugar 36 in. dia. bears N 85° W. 3 lb. dist. X
78.00 Section Corner.

North Between Sec. 32 & 33.

10.30 a stream 75 lb. wide C. J. W.

22.18 a Beech 12 in. diam.

40.00 Set gr. sec. post, from which
a Beech 6 in. dia. bears S 82° W. 13 lb. dist. X
a Sugar 12 " " " N 71° E. 12 " "

61.15 a Beech 17 in. diam.

80.00 Set post, loc. to Sec. 28, 29, 32 & 33, from wh.
a Beech 14 in. dia. bears S 36° E. 4 lb. dist. X
a Do. 12 " " " " N 66° W. 22 " "
Limb: Beech, Ash, Sugar, &c.
Level good farming land.
February 9th 1811.

East On Wadon between Sec. 28 & 33.

18.50 a stream 100 lb. wide S 10° W.

40.00 Set comp. gr. sec. post.

79.65 Intersect N & E line at post.

Limb: Beech, Ash Oak Sugar &c &c.
Same uneven - soil good.

West On correct line between Sec. 28 & 33.

39.82 Set gr. sec. post, from which
a Beech 20 in. dia. bears S 50° E. 32 lb. dist. X
a Do. 20 " " " " N 34° W. 18 " "

79.65 Section Corner.

North Between Sec. 28 & 29.

12.40 a Beech 18 in. diam.

40.00 Set gr. sec. post, from which
a Wh. Walnut 4 in. dia. bears S 40° W. 22 lb. X
a Buckeye 5 in. dia. bears N 44° E. 18 lb. dist.

61.10 a Sugar 14 " "

T. 16 N. R. 13 E. 2nd Mer. Inda

Ch. Sh.

80.00 Set post, cor. to Secs 20, 21, 28 & 29.
 a Beech 30 in. diam. bears N 70 W. 27 lks. &
 a Poplar 24 " " " S 70 E. 35 " dit.
 Timber Beech, Ash, Poplar, Oak &c.
 Land, level soil rich.

East On Random between Secs 21 & 28.
 29.50 a stream 100 lks. wide C. S. 20 W.
 40.00 Set temp. q. sec. post.
 79.52 Intersect N & S line 9 lks. N. of post.
 Timber Beech, Ash, Oak, Sugar &c.
 Land, level soil rich.

West On correct line between Secs 21 & 28.
 39.76 Set q. sec. post. from which
 an Oak 16 in. dia. bears N 18 E. 1 lks. dit.
 an Ash 5 " " " S 30 E. 24 " "
 79.52 Section Corner.

North Between Secs 20 & 21.
 18.50 a Sugar 10 in. diam.
 40.00 Set q. sec. post. from which
 a Beech 12 in. dia. bears N 51 W. 25 lks. dit.
 a Do. 12 " " " S 51 E. 25 " "
 54.00 a Beech 9 " "
 80.00 Set post cor. to Secs 16, 17, 20 & 21. fr. wh.
 a Sugar 9 in. dia. bears S 71 E. 16 lks. dit.
 a Sugar 4 " " " N 65 W. 7 " "
 Timber Beech, Ash, Oak Sugar &c.
 Some uneven good farming land.

East Between Secs 16 & 21. On Random.
 31.32 a stream 50 lks. wide course S.
 40.00 Set temp. q. sec. post. from which
 79.81 Intersect N & S line at Section post.
 Timber Beech, Ash, Elm, Sugar &c.

452

T. 16 N. Sec. 13 E. 2nd Mer. Indiana.

Ch. 40th uneven, soil good.

West Corner line between Sec. 16 & 21.

39.90 Set temp. gr. Sec. post, from which
a Hackberry 15 in. dia. bears S 41 W. 3 1/2 k. dist. X
a Buckeye 9 " " " N 33 W. 16 " "
79.81 Sec. bar.

Feb 10th 1866.

North Between Sections 16 & 17.

11.17 a Beech 19 in. diam.
40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bears N 50 E. 12 k. dist. X
a Hickory 18 " " " N 41 W. 9 " "
54.00 an Oak 20 in. diam.
80.00 Set post cor. to Sec. 8, 9, 16 & 17, from wh.
a Beech 9 in. dia. bears S 55 E. 18 k. dist. X
a Do. 7 " " " S 53 W. 11 " "
Timb. Beech Ash, Oak, Hickory and
Sugar &c. some uneven good farm-
ing land.

East On Rand^m Between Sec. 9 & 16.

33.60 a stream 100 k. wide course South.
40.00 Set temp. gr. Sec. post.
79.50 Intersect N & S line 20 k. N. of post.
Timb. Beech Ash & Oak, Sugar &c.
Land, level soil Rich.

West Corner line between Sec. 9 & 16.

39.75 Set gr. Sec. post, from which
an Ironwood 9 in. dia. bears S 44 W. 27 k. dist. X
a Sugar 20 " " " N 39 E. 20 " "
79.50 Section Corner.

North Between Sections 8 & 9.

T. 16 N. R. 13 E. 2nd Mer. Indiana.

27.40 a Sugar 14 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 10 in. dia. bears N 82 W. 14 lks. dist. &
 a Sugar 10 " " " N 42 E. 17 " "
 53.25 a Beech 10 in. diam.
 80.00 Set post cor. to Sec. 4, 5, 8 & 9, from wh.
 a Beech 9 in. dia. bears N 87 E. 19 lks. dist. &
 a Do. 9 " " " N 65 W. 23 " "
 Simb. Beech, Sugar, Ash &c.
 Level good farming land.

East On Random bet^{wn} Sec. 4 & 9.
 40.00 Set temp. gr. sec. post.
 75.25 a stream 75 lks. wide Course S. 20 W.
 79.50 Intersect N & E. line 27 lks. N. of post.
 Simb. Beech, Ash, Elm, Sugar &c.
 Level good farming land.

West On Random between Sec. 4 & 9.
 39.75 Set gr. sec. post. from which
 a Sugar 9 in. dia. bears S 85 E. 6 lks. dist. &
 a Beech 10 " " " N 89 W. 27 " "
 79.50 Section Corner.
 February 11th 1886.

North Between Sec. 4 & 5. On Random.
 40.00 Set gr. sec. post. (temp.)
 77.73 Intersect E. & W. line 20 lks. E. of post.
 Simb. Beech, Ash, Elm, Sugar &c.
 Level wet land.

South Between Sec. 4 & 5. On correct line
 39.73 Set gr. sec. post. from which
 an Oak 30 in. dia. bears N 70 W. 9 lks. dist.
 a Buckeye 18 " " " S 4 E. 21 lks. dist.
 77.73 Section Corner.

T. 16 N. R. 13 E. 2nd Mer. Ind. 4574

North Between Sec. 31 & 32.

16.00 a Sugar 12 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 4 in. dia. bears N 15 W. 20 lks. dist.
a Wh. Oak 4 in. " " S 93 E. 13 " "

13.25 a Sugar 17 in. dia.

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, fr. wh.
a Beech 24 in. dia. bears S 80 W. 51 lks. dist.
a Sugar 15 " " " N 70 E. 36 lks. dist.
Level good farming land.

East On Random between Sec. 29 & 32.

40.00 Set temp. gr. Sec. post.

79.39 Intersect N & E. line at post.
Timb. Beech, Ash, Sugar &c.
level land, soil good.

West Correct line between Sec. 29 & 32.

13.50 a Beech 10 in. diam.

39.69 Set gr. Sec. post, from which
a Beech 30 in. dia. bears N 40 E. 21 lks. dist.
& a do. 20 " " " N 60 W. 11 " "

79.39 Sec. cor. Feb. 12th 1884

West On Random between Sec. 30 & 31.

40.00 Set temp. gr. Sec. post.

79.90 Intersect Range line 50 lks. N. of post.
Timb. Beech, Ash, Elm, Sugar &c.
Land level soil rich.

East Correct line between Sec. 30 & 31.

39.90 Set gr. Sec. post, from which
a Hickory 9 in. dia. bears N 11 E. 12 lks. dist.

& a Beech 6 " " " S 42 W. 18 " "

79.90 Section corner.

T. 16 N. R. 13 E. 2nd Mer. Indiana.

North	Between Sections 29 & 30.
28.00	a Beech 18 in. diam.
40.00	Set gr. sec. post, from which a Beech 18 in. dia. bears S 79 E. 19 lb. dist. a Do. 20 " " " N 33 W. 28 " "
61.50	a Wh. Ash 12 in. diam.
80.00	Set post Cor. to Secs. 19, 20, 29 & 30, a Beech 8 in. dia. bears N 31 W. 19 lb. dist. a Do. 8 " " " S 40 E. 19 " " Symb: Beech, Ash, Sugar &c. Level good farming land.
East	On Random betw ⁿ Secs. 20 & 29.
40.00	Set gr. sec. post, temp.
79.64	Intersect N & S line 6 lb. S. of post Symb: Beech, Ash, Poplar Elm Sugar &c. Some uneven good farming land.
West	Correct line between Secs. 20 & 29.
39.82	Set gr. sec. post, from which a Beech 10 in. dia. bears N 71 W. 6 lb. dist. a Poplar 15 " " " S 41 E. 3 lb. dist.
79.64	Sec. Cor.
West	On Random betw ⁿ Secs. 19 & 30.
40.00	Set temp. gr. sec. post.
78.40	Intersect N & S line 62 lb. N. of post Beech, Ash, Elm, & Sugar &c. Level land soil rich.
East	Correct line between Secs. 19 & 30.
38.40	Set gr. sec. post, from which a Beech 18 in. dia. bears N 10 E. 8 lb. dist. a Do. 14 " " " S 25 W. 37 " "
78.40	Section Corner.

456

T. 16 N. R. 13 E. 2nd Mer. Indiana.

North $\frac{1}{2}$ between sections 19 & 20.

30.00 a Maple 12 in. diam.

40.00 Set gr. sec. post. from which
a Beech 6 in. dia. bears N 62 E. 7 lb. dist. X
a Do. 12 " " " S 50 W. 11 " "

66.50 a Hickory 24 in. diam.

80.00 Set post Cor. to Secs 17, 18, 19 & 20, fr. wh.
a Beech 24 in. dia. bears S 75 W. 22 lb. dist.
a Sugar 8 " " " N 72 E. 23 " "
Timb. Beech, Ash, Oak, Sugar &c.
Level good farming land.

February 14th 1876.

East On Random between Secs 17 & 20.

40.00 Set temporary gr. sec. post.

79.75 Intersect N & S. line 9 lb. S. of post.
Timb. Beech Ash Oak Sugar &c.
level good farming land.

West Correct line between Secs 17 & 20.

39.87 set gr. sec. post. from which
a Sugar 10 in. dia. bears N 17 W. 2 lb. dist.
a Wh. Ash 18 " " " S 26 W. 34 " "

79.75 Sec. Cor.

West Between Secs 18 & 19. On Random.

40.00 Set Temp. gr. sec. post.

76.85 Intersect Range line 69 lb. N. of post.
Timb. Beech Ash, Oak Sugar &c.
Land, level soil rich and deep.

East Correct line between Secs 18 & 19.

36.85 Set gr. sec. post. from which
a Beech (Water) 8 in. dia. bears N 31 W. 7 lb. dist. X
a Water Beech 8 " " " S 31 E. 10 " "

76.85 Section Corner.

457

T. 16 N. R. 13 E. 2nd Mer. Ind^aCh^p. Sh^p.

North Between Sections 17 & 18.

17.40 a Sugar 10 in. diam.

40.00 Set q. sec. post, from which

a Beech 12 in. diam. bears N 3 E. 24 lb. &

an Elm 10 " " " 44 W. 18 " dist.

64.10 a Sugar 10 " "

69.30 a stream 15 lb. wide course S. W.

80.00 Set post cor. to Sec. 7, 8, 17 & 18 from which
an Oak 14 in. dia. bears N 6 W. 3 lb. dist. and
a Hickory 8 in. dia. " N 33 E. 19 " "Timb. Beech Ash Elm Sugar &c.
Land, level soil richFebruary 16th 1871.

East On Random between Sec. 8 & 17.

10.85 a stream 20 lb. wide course S. W.

40.00 Set temp. q. sec. post.

79.82 Intersect N & P. line 10 lb. S. of post.

Timb. Beech, Ash Elm Walnut
Sugar &c. Land, level soil good.

West Correct line between Sec. 8 & 17.

39.91 Set temp. q. sec. post. from which
a Beech 15 in. dia. bears S 30 W. 18 lb. dist.

a Do. 27 " " " N 30 E. 8 " "

79.82 See above.

West On Random between Sec. 7 & 18.

25.25 a stream 15 lb. wide course S. W.

40.00 Set temp. q. sec. post, from which

74.30 Intersect N & P. line 80 lb. N. of post.

Timb. Beech Ash Elm Oak &c.

Level wet swampy land.

East Correct line between Sec. 7 & 18.

34.30 Set q. sec. post, from which

S. 16 N. Sec. 13 E. 2nd Mer. Indiana.

40.00 a Beech 12 in. dia. bears N 7 E. 11 lb. dist. and
an Oak 12 " " " 86 W. 10 " "
74.30 Sec. Corner.

North Between Secs. 7 & 8.

44.30 an Ash 18 in. diam.

40.00 Set gr. sec. post. from which
an Elm 2 in. dia. bears S 74 E. 4 lb. dist. &
a Blackberry 9 in. dia. " 41 W. 36 " "

59.00 a Walnut 30 " "

80.00 Set post cor. of Secs. 5, 6, 7 & 8, from wh.
a Sugar 6 in. diam. bears N 14 E. 7 lb. dist. &
an Elm 15 " " " 914 W. 15 " "

Timb. Beech, Ash Elm, Buckeye
Sugar, Blackberry &c. Undergrowth
Hawthorn and Prickly Ash.

Land level soil rich

East On Random between Secs. 5 & 8.

40.00 Set temp. gr. sec. post.

49.20 a stream 20 lb. wide course S. W.

79.70 Intersect N & E. line 7 lb. N. of post.

Timb. Beech, Ash, Sugar &c.

Land, level soil good.

West Correct line between Secs. 5 & 8.

39.85 set gr. sec. post. from which
a Walnut 12 in. dia. bears N 82 W. 6 lb. dist. &
an Oak 15 " " " 862 E. 17 " "

79.70 Section Corner.

February 16th 1881.

West On Random between Secs. 6 & 7.

40.00 Set temp. gr. sec. post.

72.75 Intersect N & E. line 15 lb. N. of post.
Timb. Beech Ash Elm Sugar &c.

T. 16 N. R. 13 E. 2nd Mer. Indiana.

Ch. 10. Land level soil rich.

East Corner line between Secs. 6 & 7.
32.75 Set gr. sec. post, from which
a Beech 9 in. dia. bears N 69 44.7 W. dist. 8
a Water Beech 5 in. dia. bears N 47 6.20 W. dist.
72.75 Section corner.

North On Random between Secs. 5 & 6.

40.00 Set temp. gr. sec. post.
77.20 Intersect A & E line 37 W. E. of post.
Sim. b. Ash Elm Buckeye Sugar &c.
Undergrowth P. Ash. Land level &
rich soil.

South On Correct line between Secs. 5 & 6.

37.20 Set gr. sec. post, from which
a Buckeye 6 in. dia. bears N 66 W. 10 W. dist.
a Hickory 9 " " " N 75 E. 16 " "
77.20 Section corner.

February 17th 1844.
Surveyed by
John G. Macan.
Deputy Surveyor.

I Certify that the foregoing transcript of field notes
of Township N. 16 North of Range N. 13 East of the
P. Principal Meridian, Indiana, has been compared
with the original field notes on file in this Office
and found to be correct.

Surveyor General's Office
Detroit. Nov. 1. 1849.

Lucius Lyon,
Sur. Genl.